



**METRO COTABATO WATER DISTRICT**

Gov. Gutierrez Avenue, Cotabato City or P.O. Box 657, Cotabato City  
 Tel. No. (064) 421 1070; (064) 421 3566  
 Fax. No. (064) 421 3009; E-mail: mcwd\_procurement@yahoo.com



Certificate No: AJA18-0099

**SUPPLEMENTAL / BID BULLETIN**

**ADDENDUM NO. 19-11**

**"Design, Supply and Installation of Office Furnitures in the New MCWD Office Building  
 (PR#19-09-1006)"**

This Addendum No. 19-11 dated October 28, 2019 is issued to clarify, modify or amend items in the Bidding Documents, which shall form an integral part thereof:

ISSUES	CLARIFICATIONS / AMENDMENTS
<p>Section I. Invitation to Bid (page 4)</p> <p>7. Bids must be duly received by the BAC Secretariat at the address below on or before <b>October 30, 2019 @ 10:00 A.M.</b> All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in <b>ITB</b> Clause a.18</p> <p>Bid opening shall be on <b>October 30, 2019 at 10:00 A.M.</b> at the <b>MCWD Conference Room</b>, Gov. Gutierrez Avenue, Cotabato City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.</p> <p>Section III. Bid Data Sheet (page 35)</p> <p>21. The deadline for submission of bids is on or before <b>October 30, 2019 @ 10:00 A.M.</b></p> <p>24.1 The date and time of bid opening is <b>October 30, 2019 at 10:00 A.M.</b></p> <p><b>Bid Form (page 100)</b></p> <p>Executive Table for AGM                                3 units                      1800mm(L)x800mm(W)x750mm(H)</p>	<p>Section I. Invitation to Bid (page 4)</p> <p>7. Bids must be duly received by the BAC Secretariat at the address below on or before <b>November 05, 2019 @ 10:00 A.M.</b> All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in <b>ITB</b> Clause a.18.</p> <p>Bid opening shall be on <b>November 05, 2019 at 10:00 A.M.</b> at the <b>MCWD Conference Room</b>, Gov. Gutierrez Avenue, Cotabato City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.</p> <p>Section III. Bid Data Sheet (page 35)</p> <p>21. The deadline for submission of bids is on or before <b>November 05, 2019 @ 10:00 A.M.</b></p> <p>24.1 The date and time of bid opening is <b>November 05, 2019 at 10:00 A.M.</b></p> <p><b>Bid Form (page 100)</b></p> <p><b>Not included</b></p>



# METRO COTABATO WATER DISTRICT

Gov. Gutierrez Avenue, Cotabato City or P.O. Box 657, Cotabato City  
Tel. No. (064) 421 1070; (064) 421 3566  
Fax. No. (064) 421 3009; E-mail: mcwd\_procurement@yahoo.com



Certificate No: AJA18-0099

ISSUES	CLARIFICATIONS / AMENDMENTS
<p>Bid Form (page 101)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 4 staffs (2 rows, 2 tables) 5 units 1200mm(L)x700mm(W)x1500mm(H) (Each Table)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 4 staffs (1 row) 1 unit 1200mm(L)x700mm(W)x1500mm(H) (Each Table)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 3 staffs (1 row) 1 unit 1200mm(L)x700mm(W)x1500mm(H) (Each Table)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 3 staffs 1 row w/out front cover 2 units 1200mm(L)x700mm(W)x1500mm(H) (Each Table)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 2 staffs (1 row) 3 units 1200mm(L)x700mm(W)x1500mm(H) (Each Table)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 1 staff 1 unit 1200mm(L)x700mm(W)x1500mm(H) (Each Table)</p>	<p>Bid Form (page 101)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 4 staffs (2 rows, 2 tables) 5 units 1200mm(L)x700mm(W)x<b>1200mm(H)</b> (Each Table)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 4 staffs (1 row) 1 unit 1200mm(L)x700mm(W)x<b>1200mm(H)</b> (Each Table)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 3 staffs (1 row) 1 unit 1200mm(L)x700mm(W)x<b>1200mm(H)</b> (Each Table)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 3 staffs 1 row w/out front cover 2 units 1200mm(L)x700mm(W)x<b>1200mm(H)</b> (Each Table)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 2 staffs (1 row) 3 units 1200mm(L)x700mm(W)x<b>1200mm(H)</b> (Each Table)</p> <p>Cubicle Workstation w/ Mobile Pedestals good for 1 staff 1 unit 1200mm(L)x700mm(W)x<b>1200mm(H)</b> (Each Table)</p> <p><b>All pictures shown serves as reference, not the actual design.</b></p>

For guidance and information of all concerned.



**WINSTON L. SAPAL**  
BAC Chairperson

Received by the Bidder: \_\_\_\_\_  
Date: \_\_\_\_\_