



METRO COTABATO WATER DISTRICT

Gov. Gutierrez Avenue, Cotabato City, P.O. Box 657

Tel. No. (064) 4211070; Telefax. No. (064) 4213009

Email Add: mcwd_procurement@yahoo.com



SUPPLEMENTAL / BID BULLETIN

ADDENDUM NO. 22-04

“Supply and Delivery of 1 Lot Various Materials and Fittings” (PR#22-08-0528)”

This Addendum No. 22-04 is being issued to add, clarify, modify or amend provisions in the Bidding Documents, which shall form an integral part thereof:

ORIGINAL	AMENDMENT
<p>Section VIII. Technical Specifications</p> <p>I. Specifications</p> <p>127 pcs. – uPVC Pipe 6”Ø x 6m, C-150 w/ RR, Series 8 6 pcs. – uPVC Bend 6”Ø x 45°, C-150 DH, Series 8</p> <p>6 pcs. – uPVC Bend 6”Ø x 22.5°, C-150 DH, Series 8</p> <p>185 mtrs. – P.E. Tubing 1”Ø (SDR 9) (ISO) 5 mtrs. – P.E. Tubing ¾” Ø (SDR 9) (ISO) 3 pcs. – Corporate Replacement Piece 1”Ø, (CTS, Brass)</p> <p>44 pcs. – Corporation Replacement Piece 1”Ø, (ISO) Compression Type 2 pcs. – Corporation Replacement Piece ¾”Ø, (ISO), Compression Type 1 pc. – Brass Ball Valve 1”Ø 1 pc. – Air Release Valve 1”Ø (ARI) 1 pc. – G.I. Bushing 6”Ø x 1”Ø, sch. 40, ASTM 2 pcs. – G.I. Pipe 6”Ø x 6m, sch. 40, ASTM @ 169.56kg/pc</p> <p>6 pcs. – G.I. Elbow 6”Ø x 45°, sch. 40, ASTM 1 pc. – G.I. Tee 6”Ø, sch. 40, ASTM 1 pc. – CI Tee 6”Ø (F/F) 2 pcs. – CI Butterfly Valve 6”Ø with underground gear and nut (Wafer Type), Keystone Brand or its equivalent</p> <p>7 pcs. – CI Sleeve Type Coupling 6”Ø x 6” with SSBN & PW (for uPVC)</p> <p>5 pcs. – CI Flange Adapter 6”Ø (F/M) with SSBN & PW (for uPVC) 2 pcs. – CI Companion Flange Ring 6”Ø 2 pcs. – CI Mechanical Cap Plug 6”Ø with SSB, Nuts & Plain Washers</p>	<p>Section VIII. Technical Specifications</p> <p>I. Specifications</p> <p>127 pcs. – uPVC Pipe 6”Ø x 6m, C-150 w/ RR, Series 8 6 pcs. – uPVC Bend 6”Ø x 45°, C-150 Double Hub, Series 8 6 pcs. – uPVC Bend 6”Ø x 22.5°, C-150 Double Hub, Series 8</p> <p>185 mtrs. – P.E. Tubing 1”Ø (SDR 9) (ISO) 5 mtrs. – P.E. Tubing ¾” Ø (SDR 9) (ISO) 3 pcs. – Corporation Replacement Piece 1”Ø, (CTS, Brass)</p> <p>44 pcs. – Corporation Replacement Piece 1”Ø, (ISO) Compression Type, Brass 2 pcs. – Corporation Replacement Piece ¾”Ø, (ISO), Compression Type, Brass 1 pc. – Brass Ball Valve 1”Ø 1 pc. – Air Release Valve 1”Ø (ARI-S-050, Brass) 1 pc. – G.I. Bushing 6”Ø x 1”Ø, sch. 40, ASTM 2 pcs. – G.I. Pipe 6”Ø x 6m, sch. 40, ASTM @ 169.56kg/pc</p> <p>6 pcs. – G.I. Elbow 6”Ø x 45°, sch. 40, ASTM 1 pc. – G.I. Tee 6”Ø, sch. 40, ASTM 1 pc. – CI Tee 6”Ø (F/F) 2 pcs. – CI Butterfly Valve 6”Ø with underground gear and nut (Wafer Type), Keystone Brand or its equivalent</p> <p>7 pcs. – CI Sleeve Type Coupling 6”Ø x 6” with Stainless Steel Tension Bolts Nuts & Plain Washers (for uPVC)</p> <p>5 pcs. – CI Flange Adapter 6”Ø (F/M) with Stainless Steel Bolts Nuts & Plain Washers (for uPVC) 2 pcs. – CI Companion Flange Ring 6”Ø 2 pcs. – CI Mechanical Cap Plug 6”Ø with Stainless Steel Bolts, Nuts & Plain Washers</p>



METRO COTABATO WATER DISTRICT

Gov. Gutierrez Avenue, Cotabato City, P.O. Box 657

Tel. No. (064) 4211070; Telefax. No. (064) 4213009

Email Add: mcwd_procurement@yahoo.com




<p>13 pcs. – CI Saddle Clamp 6"Ø x 1"Ø with SSB, Nuts & Plain Washers</p> <p>2 pcs. – CI Saddle Clamp 6"Ø x ¾"Ø with SSB, Nuts & Plain Washers</p> <p>18 pcs. – SSTBN & Plain Washers 19mmØ x 150mm</p> <p>26 pcs. – SSTBN & Plain Washers 19mmØ x 75mm</p> <p>8 pcs. – Rubber Gasket for Flange 6"Ø</p> <p>Technical Specifications (page 31)</p> <p>Technical Specifications (page 32)</p>	<p>13 pcs. – CI Saddle Clamp 6"Ø x 1"Ø with Stainless Steel Bolts, Nuts & Plain Washers</p> <p>2 pcs. – CI Saddle Clamp 6"Ø x ¾"Ø with Stainless Steel Bolts, Nuts & Plain Washers</p> <p>18 pcs. – Stainless Steel Tension Bolts Nuts & Plain Washers 19mmØ x 150mm</p> <p>26 pcs. – Stainless Steel Bolts Nuts & Plain Washers 19mmØ x 75mm</p> <p>8 pcs. – Rubber Gasket for Flange 6"Ø</p> <p>Technical Specifications (page 31) Please see attached pictures.</p> <p>Technical Specification (page 32) Please see attached pictures.</p> <p>Terms of Payment: Payment shall be made within 30 calendar days upon complete delivery.</p>
--	--

This Supplemental/Bid Bulletin shall form part of the Bidding Documents. Any provisions in the Bidding Documents inconsistent herewith is hereby amended, modified and superseded accordingly.

For the guidance and information of all concerned.

Issued this 26th of August 2022 at Metro Cotabato Water District, Cotabato City, Maguindanao.


Reviewed and approved by:


WINSTON L. SAPAL
 BAC Chairperson





Potable Water Pressure Main Main Distribution System



uPVC Pipes-PNS 65

Specification: PNS 65:1963
ISO 4422 / 1452
Color: Blue
RAL 5012
Joining Method: PUSH-ON Type
INTEGRAL FIXED SEAL TYPE

Advantages:
-Economical and easy to install
-Durable and weather resistant
-High flow capacity
-Chemical resistant

Nominal Size		Outside Diameter of Pipe	Effective Length (Le)	Wall Thickness-T (mm)	
				Series 8 (C-150)	
inches	mm	mm	mm	min	max
2	50	63	6000	3.6	4.16
2 1/2	63	75	6000	4.3	4.93
3	75	90	6000	5.2	5.92
4	100	110	6000	6.3	7.13
6	150	160	6000	9.2	10.32
8	200	225	6000	12.9	14.39
10	250	280	6000	16.0	17.80
12	300	315	6000	18.0	20.00
14	350	355	6000	20.3	22.53



10

uPVC Fittings




uPVC Elbow 90°



uPVC Elbow 45°



uPVC Equal Tee



uPVC Reducing Tee



uPVC Reducer



uPVC Coupling

